

Status

Version	341001
IP Address	192.168.50.167
Mac Address	94b5557d5e2c
Signal strength	Strong -56dBm
Controller	Rego 600
System time	07:37:11
Uptime / Boot- / Set-count	5d, 15h, 28m / 176 / 317
MQTT Link	Up

Idx	Name	Value
0001	Radiator Return	44.80 C
0002	Radiator Forward	-48.30 C
0003	Heat carrier Return	44.70 C
0004	Heat carrier Forwrd	51.00 C
0005	Brine in/Evaporator	4.10 C
0006	Brine out/Condenser	1.70 C
0007	Outdoor	-6.00 C
0008	Indoor	-48.30 C
0009	Warm water 1 / Top	47.20 C
000A	Warm water 2 / Mid	-48.30 C
000B	Hot gas	85.40 C
3104	Add heat status 0W	0.00 %
0107	Heating setpoint	46.70 C
0111	Warm water setpoint	44.00 C
0203	Room temp setpoint	20.00 C
2204	Room sensor influence	5.00

2205	Heat set 1, CurveL	5.60
0207	Heat set 3, Parallel	3.30 C
0208	Warm Water stop temp	44.00 C
020B	Warm water Difference	4.00 C
7209	Extra Warm Water	0 min
1215	Elect. heater switch	1
1233	External control	0
020A	Summer mode	18.00 C
2210	Holiday mode	0.00
12F2	Alarm reset	1
1A01	Compressor 0W	1
1A02	Add heat step 1 0W	0
1A03	Add heat step 2 0W	0
1A04	Pump Cold circuit 0W	1
1A05	Pump Heat circuit 0W	1
1A06	Pump Radiator 0W	1
1A07	Switch valve 1 0W	0
1A20	Alarm 0W	0
BA91	Alarm Code	14
6C55	Compr. cons. heating	223 h
6C56	Compr. cons. hotwat	7568 h
6C58	Aux cons. heating	8281 h
6C59	Aux cons. hot water	640 h
CFAA	Power consumption	0 Watt
5FAB	Accumulated consumption	0.00 kWh

[Detailed description of variables](#)

[Add custom register](#)

